


1.

Την ΚΔ: Υπουργού
περιβολικής και ανάπτυξης
Εις τον Επιτελείον
Δόξα

Νέα αντιγραφή

1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000



in California in the winter to avoid the cold weather.
There are many different species of bats in California,
including the Western Red Bat, the Big Brown Bat, the
Little Brown Bat, the Silver-haired Bat, the Mexican Free-tailed
Bat, and the Least Bat. These bats are all important to the
ecosystem, as they help to control insect populations and
contribute to the pollination of many plants. They also
provide a valuable source of food for other animals, such as
raccoons, opossums, and foxes. In addition, bats are
important to humans, as they have been used in traditional
medicine and are often used in cultural stories and legends.
Overall, bats are an important part of the California ecosystem
and should be protected and appreciated.

1. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
2. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
3. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
4. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
5. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
6. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
7. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
8. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
9. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$
10. $\frac{f^r}{c^r} \times \frac{f^r}{c^r} = \frac{f^r}{c^r}$

$\rightarrow c \xrightarrow{v} \frac{2\phi}{r} \xrightarrow{\text{circular}} \frac{2\pi r}{r} \xrightarrow{\text{circular}} \frac{2\pi}{1} \xrightarrow{\text{circular}} \frac{2\pi}{1} \xrightarrow{\text{circular}} \frac{2\pi}{1} \xrightarrow{\text{circular}} \frac{2\pi}{1} \xrightarrow{\text{circular}} \frac{2\pi}{1} \xrightarrow{\text{circular}}$

$\frac{1}{\eta} \frac{\partial}{\partial \eta} \left(\frac{1}{\eta} \right) = \frac{1}{\eta^2}$

$\frac{1}{10} \times \frac{1}{10000}$ $\frac{1}{100000}$ $\frac{1}{1000000}$

WWWV Duuuu λ aaa μ WWWWUV GE uATM ΞL $L^{\prime} X L$

$\Sigma \omega T_{\text{app}} T w w v \psi u x w w w w w w v n n \mu w w w v$

