

Нар

2.

Методика изучения языка

Однодиалоговая

Двухдиалоговая

Многодиалоговая


Семантическая










Лексическая


Грамматическая

Логическая

Логопедическая







$$\frac{c_1}{x} \rightarrow \frac{c_1}{x} \cdot \frac{\sqrt{x}}{\sqrt{x}} = \frac{c_1 \sqrt{x}}{x} \rightarrow \frac{c_1}{\sqrt{x}} \rightarrow \frac{c_1}{\sqrt{x}} \cdot \frac{\sqrt{x}}{\sqrt{x}} = \frac{c_1 \sqrt{x}}{x}$$


$$\frac{1}{\lambda} \frac{\partial^2 \psi}{\partial x^2} = \frac{1}{\lambda} \frac{\partial^2 \psi}{\partial y^2} = - \frac{1}{\lambda} \frac{\partial^2 \psi}{\partial z^2}$$

$$\frac{1}{\alpha} \left( \frac{1}{d} - \frac{1}{d+1} + \frac{1}{d+2} - \dots - \frac{1}{2d} \right) = \frac{1}{\alpha} \left( \frac{1}{d} - \frac{1}{2d} \right) = \frac{1}{2d\alpha}$$


$\frac{1}{\sqrt{2}} \left( \frac{1}{\sqrt{2}} + \frac{i}{\sqrt{2}} \right) \frac{1}{\sqrt{2}} \left( \frac{1}{\sqrt{2}} - \frac{i}{\sqrt{2}} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{i}{2} + \frac{i}{2} - \frac{1}{2} \right) = i$

$$\frac{1}{\sqrt{m}} \left( \frac{\partial}{\partial x} \right)^m \frac{1}{\sqrt{n}} \left( \frac{\partial}{\partial y} \right)^n = \frac{1}{\sqrt{m!n!}} \left( \frac{\partial}{\partial x} \right)^m \left( \frac{\partial}{\partial y} \right)^n$$

$$\frac{d}{dx} \left( \frac{\sin x}{x} \right) = \frac{x \cos x - \sin x}{x^2}$$







5

$$\frac{1}{\sqrt{\alpha}} \left( \frac{1}{\sqrt{n}} \sum_{i=1}^n \frac{1}{\sqrt{n}} \sum_{j=1}^n \frac{1}{\sqrt{n}} \sum_{k=1}^n \frac{1}{\sqrt{n}} \sum_{l=1}^n \frac{1}{\sqrt{n}} \sum_{m=1}^n \frac{1}{\sqrt{n}} \sum_{o=1}^n \frac{1}{\sqrt{n}} \sum_{p=1}^n \frac{1}{\sqrt{n}} \sum_{q=1}^n \frac{1}{\sqrt{n}} \sum_{r=1}^n \right) = \frac{1}{\sqrt{\alpha}} \left( \frac{1}{\sqrt{n}} \sum_{i=1}^n \frac{1}{\sqrt{n}} \sum_{j=1}^n \frac{1}{\sqrt{n}} \sum_{k=1}^n \frac{1}{\sqrt{n}} \sum_{l=1}^n \frac{1}{\sqrt{n}} \sum_{m=1}^n \frac{1}{\sqrt{n}} \sum_{o=1}^n \frac{1}{\sqrt{n}} \sum_{p=1}^n \frac{1}{\sqrt{n}} \sum_{q=1}^n \frac{1}{\sqrt{n}} \sum_{r=1}^n \right)$$

$\rightarrow \rightarrow \left( \begin{array}{c} \text{C}_2 \\ \text{C}_2 \\ \text{C}_2 \end{array} \right) \rightarrow \text{C}_2 \quad \left( \begin{array}{c} \text{C}_2 \\ \text{C}_2 \\ \text{C}_2 \end{array} \right) \rightarrow \text{C}_2 \quad \left( \begin{array}{c} \text{C}_2 \\ \text{C}_2 \\ \text{C}_2 \end{array} \right) \rightarrow \text{C}_2 \quad \left( \begin{array}{c} \text{C}_2 \\ \text{C}_2 \\ \text{C}_2 \end{array} \right) \rightarrow \text{C}_2$

1.  $\frac{1}{\sqrt{2}} \left( \hat{e}_x + i\hat{e}_y \right)$   
2.  $\frac{1}{\sqrt{2}} \left( \hat{e}_x - i\hat{e}_y \right)$   
3.  $\frac{1}{\sqrt{2}} \left( \hat{e}_x + \hat{e}_y \right)$   
4.  $\frac{1}{\sqrt{2}} \left( \hat{e}_x - \hat{e}_y \right)$

$$\int \frac{dx}{\sqrt{1-x^2}} = \int \frac{du}{\sqrt{1-u^2}} = \int \frac{dt}{\sqrt{1-t^2}} = \int \frac{dw}{\sqrt{1-w^2}} = \int \frac{dz}{\sqrt{1-z^2}} = \int \frac{dy}{\sqrt{1-y^2}} = \int \frac{dx}{\sqrt{1-x^2}}$$

$$\frac{d}{dx} \left( \frac{1}{x^2} \right) = -\frac{2}{x^3}$$

Andrew A. Kamaraidou

en rīs ouðorūs B.V. K.

24 August 1961

Νιολαος Τ. Βλαχοπουλος

